

IBM Cúram Social Program Management  
Version 7.0.0

*Curam Wait List Developer Guide*



**Note**

Before using this information and the product it supports, read the information in “Notices” on page 9

**Edition**

This edition applies to IBM Cúram Social Program Management v7.0.0 and to all subsequent releases unless otherwise indicated in new editions.

Licensed Materials - Property of IBM.

© **Copyright IBM Corporation 2012, 2016.**

US Government Users Restricted Rights – Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

© Cúram Software Limited. 2011. All rights reserved.

---

# Contents

<b>Figures</b> . . . . .	<b>v</b>
--------------------------	----------

<b>Tables</b> . . . . .	<b>vii</b>
-------------------------	------------

<b>Developing with Wait Lists</b> . . . . .	<b>1</b>
---	----------

Overview . . . . .	1
Prerequisites . . . . .	1
Why Customize a Wait List . . . . .	1
What is a Wait List? . . . . .	1
Code Package . . . . .	2
Customization Points . . . . .	2
Replaceable Implementations . . . . .	2
Renumbering of Wait List entries . . . . .	2
Events . . . . .	3
Event on Wait List Entry Creation . . . . .	3
Event on Wait List Entry Update . . . . .	3
Event on Wait List Entry Allocation. . . . .	4
Event on Wait List Entry Removal . . . . .	4
Event on Wait List Entry Expiration . . . . .	4
Event on Wait List Entry Review . . . . .	4

Event on Wait List Entry Deferring . . . . .	4
Implementing a new Wait List . . . . .	5
Integration with Other Systems . . . . .	5
Integration with Cúram Provider Management . . . . .	5
Integration with Cúram Funded Program Management . . . . .	6
Wait List Batch Jobs . . . . .	6
Expire Wait List Entry . . . . .	6
Review Wait List Entry . . . . .	6
Batch Launcher configurations for Wait List Review batch job . . . . .	6
Wait List Application Properties . . . . .	6
Configuration of Wait List Review properties . . . . .	7
curam.waitlist.statusreviewreminderperiod . . . . .	7
curam.waitlist.statusreviewintervalperiod . . . . .	7

<b>Notices</b> . . . . .	<b>9</b>
--------------------------	----------

Privacy Policy considerations . . . . .	10
Trademarks . . . . .	11



---

## Figures



---

## Tables

1.	Event on Wait List Entry Creation . . . . .	3	6.	Event on Wait List Entry Review . . . . .	4
2.	Event on Wait List Entry Update . . . . .	3	7.	Event on Wait List Entry Deferring . . . . .	4
3.	Event on Wait List Entry Allocation . . . . .	4	8.	Wait List Expiration Batch Job. . . . .	6
4.	Event on Wait List Entry Removal . . . . .	4	9.	Wait List Review Batch Job. . . . .	6
5.	Event on Wait List Entry Expiration. . . . .	4			





---

## Developing with Wait Lists

Use this information to develop Cúram wait lists through extension points and customizable interfaces that define the default behavior. A wait list is a list of clients who are awaiting the availability of a specified resource. Cúram wait lists provide a lightweight, generic implementation that can be used to meet a wide range of requirements.

---

### Overview

The purpose of this guide is to explain to the reader how to design, implement, customize and configure Cúram Wait Lists. In order to best understand these concepts, the guide should be read in full.

This guide is intended for designers and developers who need to know how to extend Cúram Wait Lists to meet their specific requirements. A reasonable degree of knowledge of the application is assumed. There are certain aspects of the document that may prove useful to business analysts, which do not require technical knowledge.

### Prerequisites

It is assumed that the reader is familiar with the following concepts:

- Persistence Cookbook
- Cúram Batch Processing Guide.

---

### Why Customize a Wait List

Cúram Wait Lists can be applied to any of the industry segments within the SEM model. Social Enterprise agencies that are servicing these industry segments provide a diverse array of benefits and services to their clients. These services can have different funding sources, and some might be contracted out to third-party providers; there are therefore a wide range of ways in which wait lists might be used.

As a result of this, the intention of the Cúram Wait List functionality is to provide a lightweight, generic implementation, which can be used to meet as many of these needs as possible. Hence customizing the wait list to suit the various needs of SEM agencies becomes vital. To accommodate this, the Cúram Wait List includes extension points and customizable interfaces through which the default behavior can be changed.

### What is a Wait List?

A wait list is a list of clients who are awaiting the availability of a specified resource. The resources in question are usually required for the delivery of a service, such as the availability of a place in a facility. Where the resource isn't available, a client can be added to wait list, either by allocating a certain position, or adding the client to the end of the list. Once added, a client's position on the wait list can be moved up or down, depending on how pressing the client's need for the resource is.

## Code Package

The Cúram Wait List is implemented by using the Persistence Infrastructure approach.

This is placed under the following package:

- `curam.waitlist.impl`

---

## Customization Points

### Replaceable Implementations

Persistence Infrastructure uses Google Guice to act as a factory mechanism for interface objects. In general, it is not compliant to change an implementation, which is bound to an interface. If an implementation is replaced in a non-compliant way, difficulties can be encountered in a later upgrade to a newer version.

However, wait list does provide an interface, which allows the customer to replace the default implementation with a new custom implementation, if required, by creating a new Guice module class and adding a corresponding entry in the MODULE table. For more information on Guice and how to use Guice bindings that use a Module class, refer to the Persistence Cookbook.

### Renumbering of Wait List entries

The agency may want to renumber the wait list entries considering the priority of the entry, or on first come first served basis, or by using some other criteria.

**Interface location:** `curam.waitlist.impl.WaitListRenumberLogic`

#### **Default implementation:**

The default implementation renumbers wait list entries in a wait list. The wait list entry position is incremented or decremented if there is an insertion or removal or allocation or expiry of an entry in the list.

When a new wait list entry is created, system increments the position by 1 for all the wait list entries in an 'open' state with a position higher than or equal to the position of the entry to be added to the wait list.

When a wait list entry is canceled or expired, system decrements the position by 1 for all wait list entries in an 'Open' state with a position higher than the position of the entry being removed or expired from the wait list.

The usage of this implementation in operations Create/Modify/Cancel/Expire/Allocate a Wait List Entry in a Wait List is explained here with example.

**Create Wait List Entry:** When a new wait list entry is created, if a wait list requires renumbering, then system calls wait list renumbering API. Wait list renumbering API increments the position by 1 for all 'Open' state wait list entries with a position higher than or equal to the position of the entry to be added to the wait list. After renumbering the existing wait list entries, system adds the client (that is, a wait list entry) to the wait list as in the specified position.

For example, if there are 10 clients waiting for a resource with position from 1 to 10. If a new wait list entry to be created at position 5. System first tries to empty

the position 5 by incrementing position by 1 for all entries, which are greater than or equal to 5 by using wait list renumbering API and then insert the new record with position 5.

**Cancel/Expire/Allocate a Wait List Entry:** After canceling/Expiring/Allocating a wait list entry, if a wait list requires renumbering then system calls wait list renumbering API. The wait list renumbering API decrements the position by 1 for all 'Open' state wait list entries with a position higher than the position of the removed entry from the wait list.

For example, if there are 10 clients that are waiting for a resource with position from 1 to 10. If a wait list entry (that is, a client) at position 5 is removed from the wait list, then system decrements position by 1 for all entries, which are having the position greater than 5 by using wait list renumbering API.

**Update Wait List Entry:** If update wait list entry, system first checks whether there is change in the position. If yes then check whether position renumbering is required. If renumbering is required, then system calls wait list renumbering API to reshuffle the wait list entries position.

For example, if there are 10 clients waiting for a resource with position from 1 to 10. When modifying the wait list entry at position 6, if user changed the position value from 6 to 8 then system first decrements the position by 1 for all 'Open' state wait list entries with a position higher than the original position (i.e.6) and then increment the position by 1 for all 'Open' state wait list entries with a position higher than or equal to the newly specified position (that is, 8). This creates an empty block so that the modified wait list entry goes and gets placed there.

For more information, on how to provide a compliant implementation for an interface, see the section 'How to provide a compliant implementation for an interface that is marked as an extension point within the framework' in Cúram Provider Management Developers Guide.

## Events

Following events are raised by wait list to allow the customer to write and attach custom workflows.

### Event on Wait List Entry Creation

An event is raised when a wait list entry is added to a wait list.

*Table 1. Event on Wait List Entry Creation*

Event Detail	Primary Event Data	Raised From
WAITLIST.WAITLISTENTRYCREATED	WaitListEntryID	curam.waitlist.impl.WaitListEntryImpl.createWaitListEntry

### Event on Wait List Entry Update

An event is raised when a wait list entry is updated.

*Table 2. Event on Wait List Entry Update*

Event Detail	Primary Event Data	Raised From
WAITLIST.WAITLISTENTRYUPDATED	WaitListEntryID	curam.waitlist.impl.WaitListEntryImpl.modifyWaitListEntry

## Event on Wait List Entry Allocation

An event is raised when a wait list entry is allocated.

Table 3. Event on Wait List Entry Allocation

Event Detail	Primary Event Data	Raised From
WAITLIST.WAITLISTENTRYALLOCATED	WaitListEntryID	curam.waitlist.impl.WaitListEntryImpl.allocate

## Event on Wait List Entry Removal

An event is raised when a wait list entry is deleted.

Table 4. Event on Wait List Entry Removal

Event Detail	Primary Event Data	Raised From
WAITLIST.WAITLISTENTRYREMOVED	WaitListEntryID	curam.waitlist.impl.WaitListEntryImpl.cancel

## Event on Wait List Entry Expiration

An event is raised when a wait list entry is expired. Wait list entry is expired when the expiry date on the wait list entry is crossed. The wait list entry can be primarily expired by using the expire wait list entry batch job.

Table 5. Event on Wait List Entry Expiration

Event Detail	Primary Event Data	Raised From
WAITLIST.WAITLISTENTRYEXPIRED	WaitListEntryID	curam.waitlist.impl.WaitListEntryImpl.expire

## Event on Wait List Entry Review

An event is raised when a wait list entry is selected for review. A wait list entry can be selected for review by running the WaitListReview batch job. This results in all wait list entries with a review date on or before the batch processing date being selected for review.

Table 6. Event on Wait List Entry Review

Event Detail	Primary Event Data	Raised From
WAITLIST.WAITLISTENTRYSELECTEDFORREVIEW	WaitListEntryID	curam.core.sl.impl.WaitListReview.processWaitListEntry

## Event on Wait List Entry Deferring

An event is raised when the Wait List Entry review is deferred to a future date. This event is also raised when the review date is updated to be a date in the future.

Table 7. Event on Wait List Entry Deferring

Event Detail	Primary Event Data	Raised From
WAITLIST.WAITLISTENTRYREVIEWDEFERRED	WaitListEntryID	curam.waitlist.impl.WaitListEntryImpl.deferReview

---

## Implementing a new Wait List

A customer who wants to create their own type of wait list needs administratively to add a type of wait list. This can be done by adding a custom entry in the WaitListType codetable corresponding to the new wait list type or resource type.

The new resource needs to extend the interface `curam.waitlist.impl.Resource` and the corresponding implementation class needs to implement the methods that are defined in the Resource interface. This ensures that the new resource has the necessary methods implemented which are required during creation of a wait list.

The code snippet of the interface, which extends the Resource interface:

```
public interface Provider extends ProviderOrganization,
    Insertable, OptimisticLockModifiable, Resource {
    // method declaration goes here
}
```

The code snippet of the implementation, which implements the Resource interface:

```
public class ProviderImpl extends
    ProviderOrganizationImpl<ProviderDtls> implements Provider {
    .
    .
    public long getResourceID() {
        return getDtls().providerConcernRoleID;
    }
    .
    .
    public WAITLISTTYPEEntry getResourceType() {
        return WAITLISTTYPEEntry.PROVIDER;
    }
}
```

The necessary APIs to add/modify/cancel a wait list entry, list the history of wait list entries or search a wait list can be obtained in the corresponding Javadoc provided along with the Cúram Enterprise Framework.

---

## Integration with Other Systems

The Cúram Wait List is a generic functionality which holds the clients waiting for a resource to be available; this can be integrated with other systems. Examples of wait lists being integrated with other systems are described below.

### Integration with Cúram Provider Management

Wait listed clients in Cúram Provider Management (CPM) wait for a provider or provider offering (service), which can be either a placement service or a non-placement service. For a placement service, the available places can be searched for within the required time period. Once it is determined that a place is available for the client, a reservation or placement can be created.

If no place has been specified for a wait listed client, a place from a list of available places can be selected when creating the reservation or placement. There is no OOTB automated allocation of clients when a place becomes available.

Clients can be wait listed for multiple providers, but once a reservation or placement is made, wait list entries for that client for the other providers can be removed. If there are active reservations for the same or overlapping periods, the reservations will be canceled when a place is allocated to a wait listed client.

## Integration with Cúram Funded Program Management

Cúram Funded Program Management(FundedPM) wait lists allow clients to be placed on a wait list when funds are insufficient. For example, when a client is authorized to receive child care services and in turn, an attempt is made to obligate an amount from the Child Care fund, the client can be placed on a wait list if the child care fund does not have a sufficient amount to cover the obligation.

When funds become available, the request(s) to obligate funds on behalf of the client for the child care case plan items can be reassessed, and the obligation associated with the fund can be processed.

---

### Wait List Batch Jobs

Wait list functionality is provided with following batch jobs.

Refer to the Cúram Batch Processing Guide for more information.

### Expire Wait List Entry

Expire Wait List Entry expires any wait list entry for which the expiration date is passed.

*Table 8. Wait List Expiration Batch Job*

Batch Name	Implementation Class
<i>ExpireWaitListEntry</i>	curam.core.impl.ExpireWaitListEntry

### Review Wait List Entry

This batch process selects the eligible wait list entries for review and raises a workflow event to generate wait list review reminder task. All wait list entries with a review date on or before the batch processing date have a review reminder task generated. Review date is provided while a wait list entry is created.

If there is no review date set for the wait list entry, it is derived by subtracting the Status Review Reminder Period from the expiry date. Status Review Reminder Period is configured in property administration.

*Table 9. Wait List Review Batch Job*

Batch Name	Implementation Class
<i>WaitListReview</i>	curam.core.sl.impl.WaitListReview

### Batch Launcher configurations for Wait List Review batch job

Since Wait List Review batch process raises work flow events, for successful generation of review reminder tasks, the following batch launcher properties should be configured in property administration:

- curam.batchlauncher.dbtojms.enabled (is set to true)
- curam.batchlauncher.dbtojms.notification.host (have appropriate host value set)
- curam.batchlauncher.dbtojms.notification.port (have appropriate port value set)

---

### Wait List Application Properties

The following wait list properties are provided for configuration in property administration.

## Configuration of Wait List Review properties

### **curam.waitlist.statusreviewreminderperiod**

This property determines the reminder period for the wait list status review. It is subtracted from the expiry date to get the review date when review date is not specified. Default value is set as -1 in which case it is not considered.

### **curam.waitlist.statusreviewintervalperiod**

This property determines the number of days between two wait list entry reviews. Default value is set as zero.





---

## Notices

This information was developed for products and services offered in the United States.

IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM® product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not grant you any license to these patents. You can send license inquiries, in writing, to:

*IBM Director of Licensing IBM Corporation North Castle Drive, MD-NC119 Armonk, NY 10504-17*

For license inquiries regarding double-byte character set (DBCS) information, contact the IBM Intellectual Property Department in your country or send inquiries, in writing, to:

*Intellectual Property Licensing Legal and Intellectual Property Law IBM Japan Ltd. 19-21, Nihonbash*

INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Any references in this information to non-IBM websites are provided for convenience only and do not in any manner serve as an endorsement of those websites. The materials at those websites are not part of the materials for this IBM product and use of those websites is at your own risk.

IBM may use or distribute any of the information you provide in any way it believes appropriate without incurring any obligation to you.

Licensees of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:

Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.

The licensed program described in this document and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement, IBM International Program License Agreement or any equivalent agreement between us.

The performance data and client examples cited are presented for illustrative purposes only. Actual performance results may vary depending on specific configurations and operating conditions.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

Statements regarding IBM's future direction or intent are subject to change or withdrawal without notice, and represent goals and objectives only.

All IBM prices shown are IBM's suggested retail prices, are current and are subject to change without notice. Dealer prices may vary.

This information is for planning purposes only. The information herein is subject to change before the products described become available.

This information contains examples of data and reports used in daily business operations. To illustrate them as completely as possible, the examples include the names of individuals, companies, brands, and products. All of these names are fictitious and any similarity to actual people or business enterprises is entirely coincidental.

#### **COPYRIGHT LICENSE:**

This information contains sample application programs in source language, which illustrate programming techniques on various operating platforms. You may copy, modify, and distribute these sample programs in any form without payment to IBM, for the purposes of developing, using, marketing or distributing application programs conforming to the application programming interface for the operating platform for which the sample programs are written. These examples have not been thoroughly tested under all conditions. IBM, therefore, cannot guarantee or imply reliability, serviceability, or function of these programs. The sample programs are provided "AS IS", without warranty of any kind. IBM shall not be liable for any damages arising out of your use of the sample programs.

---

## **Privacy Policy considerations**

IBM Software products, including software as a service solutions, ("Software Offerings") may use cookies or other technologies to collect product usage information, to help improve the end user experience, to tailor interactions with the end user or for other purposes. In many cases no personally identifiable information is collected by the Software Offerings. Some of our Software Offerings

can help enable you to collect personally identifiable information. If this Software Offering uses cookies to collect personally identifiable information, specific information about this offering's use of cookies is set forth below.

Depending upon the configurations deployed, this Software Offering may use session cookies or other similar technologies that collect each user's name, user name, password, and/or other personally identifiable information for purposes of session management, authentication, enhanced user usability, single sign-on configuration and/or other usage tracking and/or functional purposes. These cookies or other similar technologies cannot be disabled.

If the configurations deployed for this Software Offering provide you as customer the ability to collect personally identifiable information from end users via cookies and other technologies, you should seek your own legal advice about any laws applicable to such data collection, including any requirements for notice and consent.

For more information about the use of various technologies, including cookies, for these purposes, see IBM's Privacy Policy at <http://www.ibm.com/privacy> and IBM's Online Privacy Statement at <http://www.ibm.com/privacy/details> the section entitled "Cookies, Web Beacons and Other Technologies" and the "IBM Software Products and Software-as-a-Service Privacy Statement" at <http://www.ibm.com/software/info/product-privacy>.

---

## Trademarks

IBM, the IBM logo, and [ibm.com](http://www.ibm.com) are trademarks or registered trademarks of International Business Machines Corp., registered in many jurisdictions worldwide. Other product and service names might be trademarks of IBM or other companies. A current list of IBM trademarks is available on the Web at " Copyright and trademark information " at <http://www.ibm.com/legal/copytrade.shtml>.

Adobe, the Adobe logo, PostScript, and the PostScript logo are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States, and/or other countries.

Java<sup>™</sup> and all Java-based trademarks and logos are trademarks or registered trademarks of Oracle and/or its affiliates.

Linux is a registered trademark of Linus Torvalds in the United States, other countries, or both.

Microsoft, Windows, Windows NT, and the Windows logo are trademarks of Microsoft Corporation in the United States, other countries, or both.

UNIX is a registered trademark of The Open Group in the United States and other countries.

Other names may be trademarks of their respective owners. Other company, product, and service names may be trademarks or service marks of others.







Printed in USA